




















Raccordi recuperabili / Reusable fittings





Pagina / Page	329	329	330	330	331	331
Boccola Ferrule						
	OL0015	**OL0065**	**OL0110**	**OL0211**	**OL0215**	**OL0220**
	SAE 100 R1A-DIN1SN	SAE 100 R2A-DIN2SN	SAE 100 R3	SAE 100 R7	MT1	SAE 100 R1T

Pagina / Page	332		333	334	335	336
Boccola Ferrule		GAS BSP				
	OL0230		**OL0412**	**OL0614**	**OL0615**	**OL0513**
	SAE 100 R2T		BSP Female	BSP 90° Swept Elbow	BSP 45° Swept Elbow	BSP Male 60°
			DKR	DKR	DKR	AGR

Pagina / Page	333	334	335	336		337
60 Metric					NPTF	
	OL0460	**OL0616**	**OL0617**	**OL0514**		**OL0504**
	Metric Female	Metric 90° Swept Elbow	Metric 45° Swept El bow	Metric Male 60°		NPTF Male
	DKM	DKM	DKM	AGM		AGN

Pagina / Page	337			338		338
Gas Con. BSPT			Metric Din 24 CEL		Metric Din 24 CES	
	OL0515			**OL0516**		**OL0517**
	BSPT Male			METRIC MALE 24°		METRIC MALE 24°
	AGR-K			CEL		CES

Pagina / Page	339	340	341			342
Metric Standpipe					Male JIC 74	
	OL0518	**OL1210**	**OL1220**			**OL0519**
	Metric Standpipe	90° Metric Standpipe	45° Metric Standpi pe			Jic Male 74°
	BES-BEL	BES-BEL	BES-BEL			AGJ

Pagina / Page	342	343	343		344	344
Female JI7 74				Banjo		
	OL0975	**OL1016**	**OL1066**		**OL0521**	**OL0522**
	Jic Female 74°	90° Swept Elbow	45° Swept Elbow		Gas Banjo	Metric Banjo
	DKJ	DKJ	DKJ			


Dimensions and general characteristics may be changed at any time without prior notice.

Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.

OL0015 Boccola Recuperabile

Reusable Ferrule

per tubo / for hose:
SAE 100 R1 - DIN 1SN




part number	hose I.D.		Dimension				
	in	mm	A	B	E		valid for
OL0015-01	1/4	6,4	8,5	35	18		R1A
OL0015-02	5/16	7,9	9,5	38	20		R1A
OL0015-03	3/8	9,5	10,0	42	22		R1A
OL0015-04	1/2	12,7	12,5	49	26		R1A
OL0015-05	5/8	15,9	13,5	53	28		R1A
OL0015-06	3/4	19	15,0	58	32		R1A
OL0015-07	1	25,4	20,0	72	42		R1A
OL0015-08	1.1/4	31,8	23,0	84	55		R1A

OL0065 Boccola Recuperabile

Reusable Ferrule

per tubo / for hose:
SAE 100 R2A - DIN 2SN




part number	hose I.D.		Dimension				
	in	mm	A	B	E		valid for
OL0065-01	1/4	6,4	8,5	35	19		R2A
OL0065-02	5/16	7,9	9,5	38	22		R2A
OL0065-03	3/8	9,5	10,0	42	24		R2A
OL0065-04	1/2	12,7	12,5	49	27		R2A
OL0065-05	5/8	15,9	13,5	53	30		R2A
OL0065-06	3/4	19	15,0	58	34		R2A
OL0065-07	1	25,4	20,0	72	45		R2A

OL0110 Boccola Recuperabile

Reusable Ferrule

per tubo / for hose:
SAE 100 R3 - SAE 100 R5




part number	hose I.D.		Dimension				
	in	mm	A	B	E		valid for
OL0110-01	3/16	4,8	8,0	28	17		R3/R5
OL0110-02	1/4	6,4	8,5	35	18		R3/R5
OL0110-03	5/16	7,9	9,5	38	20		R3/R5
OL0110-04	3/8	9,5	10,0	42	22		R3/R5
OL0110-05	1/2	12,7	12,5	49	27		R3/R5
OL0110-06	5/8	15,9	13,5	53	30		R3/R5
OL0110-07	3/4	19	15,0	58	36		R3/R5
OL0110-08	7/8	22,2	18,0	64	36		R5

OL0211 Boccola Recuperabile

Reusable Ferrule

per tubo / for hose:
SAE 100 R7




part number	hose I.D.		Dimension				
	in	mm	A	B	E		valid for
OL0211-01	3/16	4,8	8,0	28	14		R7
OL0211-02	1/4	6,4	8,5	34	17		R7
OL0211-03	5/16	7,9	9,5	37	19		R7
OL0211-04	3/8	9,5	10,0	41	22		R7
OL0211-05	1/2	12,7	12,5	48	24		R7

OL0215 Boccola Recuperabile

Reusable Ferrule

per tubo / for hose:
MT1




part number	hose I.D.		Dimension				
	in	mm	A	B	E		valid for
OL0215-01	3/16	4,8	8,0	28	14		MT1
OL0215-02	1/4	6,4	8,5	34	17		MT1
OL0215-03	5/16	7,9	9,5	37	19		MT1
OL0215-04	3/8	9,5	10,0	41	20		MT1
OL0215-05	1/2	12,7	12,5	48	24		MT1

OL0220 Boccola Recuperabile

Reusable Ferrule

per tubo / for hose:
SAE 100 R1T




part number	hose I.D.		Dimension				
	in	mm	A	B	E		valid for
OL0220-01	3/16	4,8	8,0	28	17		R1T
OL0220-02	1/4	6,4	8,5	35	18		R1T
OL0220-03	5/16	7,9	9,5	38	20		R1T
OL0220-04	3/8	9,5	10,0	42	22		R1T
OL0220-05	1/2	12,7	12,5	49	26		R1T
OL0220-06	5/8	15,9	13,5	53	28		R1T
OL0220-07	3/4	19	15,0	58	32		R1T
OL0220-08	1	25,4	20,0	72	42		R1T
OL0220-09	1.1/4	31,8	23,0	84	50		R1T
OL0220-10	1.1/2	38,1	25,0	88	60		R1T

OL0230 Boccola Recuperabile

Reusable Ferrule


per tubo / for hose:
SAE 100 R2T



part number	hose I.D.		Dimension				
	in	mm	A	B	E		valid for
OL0230-01	1/4	6,4	8,5	35	19		R2T
OL0230-02	5/16	7,9	9,5	38	22		R2T
OL0230-03	3/8	9,5	10,0	42	24		R2T
OL0230-04	1/2	12,7	12,5	49	27		R2T
OL0230-05	5/8	15,9	13,5	53	30		R2T
OL0230-06	3/4	19	15,0	58	34		R2T
OL0230-07	1	25,4	20,0	72	45		R2T/R3

OL0412 Femmina BSP cono 60°


BSP Female 60°



part number	hose I.D.		Dimension				
			dash	Thread	hex		cut-off
	in	mm	size	T	E1	E2	C
OL0412-01	3/16	4,8	03	1/8	14	14	16
OL0412-02	3/16	4,8	03	1/4	14	17	17
OL0412-03	1/4	6,4	04	1/4	17	17	17
OL0412-04	1/4	6,4	04	3/8	19	22	18
OL0412-05	5/16	7,9	05	1/4	17	17	17
OL0412-06	5/16	7,9	05	3/8	19	22	19
OL0412-07	3/8	9,5	06	3/8	22	22	20
OL0412-08	3/8	9,5	06	1/2	24	27	22
OL0412-09	1/2	12,7	08	1/2	27	27	22
OL0412-10	1/2	12,7	08	5/8	27	30	23
OL0412-11	5/8	15,9	10	5/8	30	30	23
OL0412-12	5/8	15,9	10	3/4	30	32	24
OL0412-13	3/4	19	12	3/4	32	32	25
OL0412-14	1	25,4	16	1	38	38	28
OL0412-15	1.1/4	31,8	20	1.1/4	50	50	32
OL0412-16	1.1/2	38,1	24	1.1/2	55	55	34

OL0460 Femmina Metrica Cono 60°


Metric Female 60°



part number	hose I.D.		Dimension				
			dash	Thread	hex		cut-off
	in	mm	size	T	E1	E2	C
OL0460-01	3/16	4,8	03	M10-1	14	14	16
OL0460-02	1/4	6,4	04	M12-1,5	17	17	17
OL0460-03	1/4	6,4	04	M14-1,5	17	19	17
OL0460-04	1/4	6,4	04	M16-1,5	18	22	22
OL0460-05	5/16	7,9	05	M14-1,5	17	27	17
OL0460-06	5/16	7,9	05	M16-1,5	19	22	22
OL0460-07	5/16	7,9	05	M18-1,5	19	24	22
OL0460-08	3/8	9,5	06	M16-1,5	20	22	22
OL0460-09	3/8	9,5	06	M18-1,5	20	24	22
OL0460-10	3/8	9,5	06	M22-1,5	22	27	27
OL0460-11	1/2	12,7	08	M18-1,5	22	24	27
OL0460-12	1/2	12,7	08	M22-1,5	22	27	27
OL0460-13	5/8	15,9	10	M26-1,5	24	32	32
OL0460-14	3/4	19	12	M26-1,5	25	32	32

OL0614 Curva BSP 90° cono 60° Dado Rullato


BSP 90° Swept Elbow 60°



part number	hose I.D.		Dimension					
			dash size	Thread	hex		drop	cut-off
	in	mm		T	E1	E2	H	C
OL0614-01	3/16	4,8	03	1/8	12	14	27	27
OL0614-02	3/16	4,8	03	1/4	12	17	28	27
OL0614-03	1/4	6,4	04	1/4	14	17	30	30
OL0614-04	1/4	6,4	04	3/8	14	22	34	22
OL0614-05	5/16	7,9	05	1/4	14	17	33	22
OL0614-06	5/16	7,9	05	3/8	14	22	34	24
OL0614-07	3/8	9,5	06	3/8	17	22	37	37
OL0614-08	3/8	9,5	06	1/2	18	27	41	30
OL0614-09	1/2	12,7	08	1/2	20	27	44	41
OL0614-10	5/8	15,9	10	5/8	24	30	46	36
OL0614-11	5/8	15,9	10	3/4	24	32	50	40
OL0614-12	3/4	19	12	3/4	27	32	51	42
OL0614-13	3/4	19	12	1	27	38	53	48
OL0614-14	1	25,4	16	1	32	38	65	50
OL0614-15	1	25,4	16	1.1/4	32	50	63	50
OL0614-16	1.1/4	31,8	20	1.1/4	45	50	69	55
OL0614-17	1.1/2	38,1	24	1.1/2	50	55	90	73

OL0616 Curva Metrica 90° cono 60°


90° Metric Swept Elbow



part number	hose I.D.		Dimension					
			dash size	Thread	hex		drop	cut-off
	in	mm		T	E1	E2	H	C
OL0616-01	3/16	4,8	03	M10-1	12	14	27	27
OL0616-02	1/4	6,4	04	M12-1,5	14	17	30	30
OL0616-03	1/4	6,4	04	M14-1,5	14	22	34	22
OL0616-04	1/4	6,4	04	M16-1,5	14	22	34	22
OL0616-05	5/16	7,9	05	M14-1,5	14	17	33	22
OL0616-06	5/16	7,9	05	M16-1,5	14	22	34	24
OL0616-07	3/8	9,5	06	M16-1,5	17	22	37	37
OL0616-08	3/8	9,5	06	M18-1,5	18	27	41	30
OL0616-09	3/8	9,5	06	M22-1,5	18	27	41	30
OL0616-10	1/2	12,7	08	M18-1,5	20	27	44	41
OL0616-11	1/2	12,7	08	M22-1,5	20	27	44	41
OL0616-12	5/8	15,9	10	M26-1,5	24	32	50	40
OL0616-13	3/4	19	12	M26-1,5	27	32	51	42

OL0615 Curva BSP 45°cono 60°Dado Rullato


BSP 45° Swept Elbow 60° Cone Rolled Nut



part number	hose I.D.		Dimension					
			dash size	Thread	hex		drop	cut-off
	in	mm		T	E1	E2	H	C
OL0615-01	3/16	4,8	03	1/8	12	14	18	42
OL0615-02	3/16	4,8	03	1/4	12	17	18	42
OL0615-03	1/4	6,4	04	1/4	14	17	19	36
OL0615-04	5/16	7,9	05	3/8	17	22	21	42
OL0615-05	3/8	9,5	06	3/8	17	22	21	42
OL0615-06	3/8	9,5	06	1/2	17	27	28	42
OL0615-07	1/2	12,7	08	1/2	20	27	28	42
OL0615-08	5/8	15,9	10	5/8	24	30	32	53
OL0615-09	5/8	15,9	10	3/4	24	32	32	54
OL0615-10	3/4	19	12	3/4	27	32	35	60
OL0615-11	3/4	19	12	1	27	38	38	65
OL0615-12	1	25,4	16	1	32	38	42	74
OL0615-13	1.1/4	31,8	20	1.1/4	45	50	48	82
OL0615-14	1.1/2	38,1	24	1.1/2	50	55	55	88

OL0617 Curva Metrica 45°cono 60°


45° Metric Swept Elbow 60° cone



part number	hose I.D.		Dimension					
			dash size	Thread	hex		drop	cut-off
	in	mm		T	E1	E2	H	C
OL0617-01	3/16	4,8	03	M10-1	12	14	18	42
OL0617-02	1/4	6,4	04	M12-1,5	14	17	19	36
OL0617-03	1/4	6,4	04	M14-1,5	14	17	19	36
OL0617-04	5/16	7,9	05	M16-1,5	17	22	21	42
OL0617-05	3/8	9,5	06	M16-1,5	17	22	21	42
OL0617-06	3/8	9,5	06	M18-1,5	17	22	21	42
OL0617-07	3/8	9,5	06	M22-1,5	17	27	28	42
OL0617-08	1/2	12,7	08	M22-1,5	20	27	28	42
OL0617-09	5/8	15,9	10	M26-1,5	24	32	28	54
OL0617-10	3/4	19	12	M26-1,5	17	32	35	60

OL0513 Maschio BSP svas. 60°


BSP Male Parallel 60° cone



part number	hose I.D.		Dimension			
			dash	Thread	hex	cut-off
	in	mm	size	T	E	C
OL0513-01	3/16	4,8	03	1/8	14	16
OL0513-02	1/4	6,4	04	1/4	17	17
OL0513-03	1/4	6,4	04	3/8	19	21
OL0513-04	5/16	7,9	05	3/8	22	22
OL0513-05	3/8	9,5	06	3/8	22	22
OL0513-06	3/8	9,5	06	1/2	27	23
OL0513-07	1/2	12,7	08	1/2	27	23
OL0513-08	5/8	15,9	10	5/8	30	24
OL0513-09	5/8	15,9	10	3/4	32	26
OL0513-10	3/4	19	12	3/4	32	26
OL0513-11	3/4	19	12	1	38	30
OL0513-12	1	25,4	16	1	38	30

OL0514 Maschio Metrico Svas.60°


Metric Male 60° cone



part number	hose I.D.		Dimension			
			dash	Thread	hex	cut-off
	in	mm	size	T	E	C
OL0514-01	3/16	4,8	03	M10-1	14	16
OL0514-02	1/4	6,4	04	M14-1,5	17	17
OL0514-03	5/16	7,9	05	M16-1,5	22	22
OL0514-04	3/8	9,5	06	M16-1,5	22	22
OL0514-05	3/8	9,5	06	M18-1,5	24	23
OL0514-06	1/2	12,7	08	M22-1,5	27	24
OL0514-07	5/8	15,9	10	M26-1,5	32	26

OL0515 Maschio BSPT svas. 60°


BSP Taper Male 60° cone



part number	hose I.D.		Dimension			
			dash	Thread	hex	cut-off
	in	mm	size	T	E	C
OL0515-01	3/16	4,8	03	1/8	14	16
OL0515-02	1/4	6,4	04	1/4	7	16
OL0515-03	5/16	7,9	05	3/8	19	23
OL0515-04	3/8	9,5	06	3/8	19	23
OL0515-05	3/8	9,5	06	1/2	22	26
OL0515-06	1/2	12,7	08	1/2	24	27
OL0515-07	5/8	15,9	10	3/4	30	30
OL0515-08	3/4	19	12	3/4	30	30
OL0515-09	1	25,4	16	1	36	35
OL0515-10	1.1/4	31,8	20	1.1/4	45	38
OL0515-11	1.1/2	38,1	24	1.1/2	50	39

OL0504 Maschio NPTF svas. 60°


NPTF Male 60° cone



part number	hose I.D.		Dimension			
			dash	Thread	hex	cut-off
	in	mm	size	T	E	C
OL0504-01	1/4	6,4	04	1/4	17	16
OL0504-02	5/16	7,9	05	1/4	17	18
OL0504-03	3/8	9,5	06	3/8	19	23
OL0504-04	3/8	9,5	06	1/2	22	26
OL0504-05	1/2	12,7	08	1/2	24	27
OL0504-06	5/8	15,9	10	3/4	30	30
OL0504-07	3/4	19	12	3/4	30	30
OL0504-08	1	22,2	14	1	30	32

OL0516 Maschio Metrico svas. 24° Serie Pesante


Metric Male 24° Seat Heavy



part number	hose I.D.		Dimension				
			dash	Thread	*Erm*	hex	cut-off
	in	mm	size	T		E	C
OL0516-01	1/4	6,4	04	M18-1,5	10	19	19
OL0516-02	3/8	9,5	06	M22-1,5	14	22	22
OL0516-03	1/2	12,7	08	M24-1,5	16	24	23

OL0517 Maschio Metrico svas. 24° Serie Leggera


Metric Male 24° Seat Light



part number	hose I.D.		Dimension				
			dash	Thread	*Erm*	hex	cut-off
	in	mm	size	T		E	C
OL0517-01	1/4	6,4	04	M14-1,5	8	17	18
OL0517-02	5/16	7,9	05	M16-1,5	10	17	20
OL0517-03	3/8	9,5	06	M18-1,5	12	19	21
OL0517-04	1/2	12,7	08	M22-1,5	15	24	23

OL0518 ESTREMITA' TUBOLARE DIR.-RECUPERABILE


Reusable straight standpipe



part number	hose I.D.		Dimension				
			dash	Pipe	*type*	hex	
	in	mm	size	T		E	L
OL0518-01	3/16	4,8	03	4	L	10	5
OL0518-02	3/16	4,8	03	6	L	12	5
OL0518-03	3/16	4,8	03	8	S	12	7
OL0518-04	1/4	6,4	04	6	L-S	12	7
OL0518-05	1/4	6,4	04	8	L-S	12	7
OL0518-06	1/4	6,4	04	10	L-S	12	7
OL0518-07	1/4	6,4	04	12	L-S	14	7
OL0518-08	5/16	7,9	05	8	L-S	14	8
OL0518-09	5/16	7,9	05	10	L-S	14	8
OL0518-10	5/16	7,9	05	12	L-S	14	8
OL0518-11	3/8	9,5	06	10	L-S	17	8
OL0518-12	3/8	9,5	06	12	L-S	17	8
OL0518-13	3/8	9,5	06	14	S	17	8
OL0518-14	3/8	9,5	06	15	L	17	8
OL0518-15	1/2	12,7	08	15	L	19	9
OL0518-16	1/2	12,7	08	16	S	19	9
OL0518-17	1/2	12,7	08	18	L	19	9
OL0518-18	5/8	15,9	10	18	L	22	9
OL0518-19	5/8	15,9	10	20	S	22	9
OL0518-20	3/4	19	12	20	S	27	10
OL0518-21	3/4	19	12	22	L	27	10
OL0518-22	3/4	19	12	25	S	27	10
OL0518-23	1	25,4	16	28	L	32	12
OL0518-24	1	25,4	16	30	S	32	12

OL1210 ESTREMITA' TUBOLARE 90° RECUPER.


reusable 90° standpipe



part number	hose I.D.		Dimension					
			dash	Pipe	*type*	hex	drop	cut-off
	in	mm	size	T		E	H	C
OL1210-01	3/16	4,8	03	4	L	12	30	21
OL1210-02	3/16	4,8	03	6	L	12	34	22
OL1210-03	3/16	4,8	03	8	S	12	37	23
OL1210-04	1/4	6,4	04	6	L-S	12	37	23
OL1210-05	1/4	6,4	04	8	L-S	14	38	25
OL1210-06	1/4	6,4	04	10	L-S	14	41	24
OL1210-07	1/4	6,4	04	12	L-S	17	45	34
OL1210-08	5/16	7,9	05	8	L-S	14	37	24
OL1210-09	5/16	7,9	05	10	L-S	14	41	26
OL1210-10	5/16	7,9	05	12	L-S	17	46	28
OL1210-11	3/8	9,5	06	10	L-S	17	46	25
OL1210-12	3/8	9,5	06	12	L-S	17	43	29
OL1210-13	3/8	9,5	06	14	S	19	53	35
OL1210-14	3/8	9,5	06	15	L	19	43	33
OL1210-15	1/2	12,7	08	15	L	20	55	37
OL1210-16	1/2	12,7	08	16	S	20	55	37
OL1210-17	1/2	12,7	08	18	L	22	58	41
OL1210-18	5/8	15,9	10	18	L	24	60	41
OL1210-19	5/8	15,9	10	20	S	24	65	42
OL1210-20	3/4	19	12	20	S	27	65	42
OL1210-21	3/4	19	12	22	L	27	67	48
OL1210-22	3/4	19	12	25	S	30	74	53
OL1210-23	1	25,4	16	28	L	32	76	55

OL1220 ESTREMITA' TUBOLARE 45° RECUPER.


reusable 45° standpipe



part number	hose I.D.		Dimension					
			dash	Pipe	*type*	hex	drop	cut-off
	in	mm	size	T		E	H	C
OL1220-01	3/16	4,8	03	4	L	12	19	36
OL1220-02	3/16	4,8	03	6	L	12	19	36
OL1220-03	1/4	6,4	04	6	L-S	12	21	38
OL1220-04	1/4	6,4	04	8	L-S	14	22	42
OL1220-05	1/4	6,4	04	10	L-S	14	22	44
OL1220-06	5/16	7,9	05	10	L-S	14	23	44
OL1220-07	5/16	7,9	05	12	L-S	17	24	45
OL1220-08	3/8	9,5	06	12	L-S	19	28	50
OL1220-09	3/8	9,5	06	14	S	19	28	55
OL1220-10	1/2	12,7	08	15	L	19	28	55
OL1220-11	1/2	12,7	08	16	S	24	28	56
OL1220-12	5/8	15,9	10	18	L	27	30	60
OL1220-13	5/8	15,9	10	20	S	27	33	64
OL1220-14	3/4	19	12	22	L	32	35	68
OL1220-15	3/4	19	12	25	L	32	37	72

OL0519 Maschio JIC cono 74°


JIC Male 74° cone



part number	hose I.D.		Dimension			
			dash	Thread	hex	cut-off
	in	mm	size	T	E	C
OL0519-01	1/4	6,4	04	1/2-20	14	17
OL0519-02	5/16	7,9	05	9/16-18	17	23
OL0519-03	3/8	9,5	06	3/4-16	19	25
OL0519-04	1/2	12,7	08	7/8-14	24	28

OL0975 Femmina JIC svas. 74°


JIC Female 74° cone



part number	hose I.D.		Dimension				
			dash	Thread	hex		cut-off
	in	mm	size	T	E1	E2	C
OL0975-01	3/16	4,8	03	7/16-20	14	15	14
OL0975-02	3/16	4,8	03	1/2-20	14	17	15
OL0975-03	1/4	6,4	04	7/16-20	14	18	14
OL0975-04	1/4	6,4	04	1/2-20	17	17	15
OL0975-05	1/4	6,4	04	9/16-18	17	19	16
OL0975-06	5/16	7,9	05	9/16-18	19	19	16
OL0975-07	3/8	9,5	06	9/16-18	19	19	16
OL0975-08	3/8	9,5	06	3/4-16	22	24	17
OL0975-09	1/2	12,7	08	3/4-16	24	24	18
OL0975-10	1/2	12,7	08	7/8-14	27	27	20
OL0975-11	5/8	15,9	10	7/8-14	27	27	20
OL0975-12	5/8	15,9	10	1.1/16-12	30	32	22
OL0975-13	3/4	19	12	1.1/16-12	32	32	22
OL0975-14	1	25,4	16	1.5/16-12	38	38	25

OL1016 Curva JIC 90° svas. 74° RECUP.


JIC 90° Swept Elbow 74° cone



part number	hose I.D.		Dimension					
			dash size	Thread	hex		drop	cut-off
	in	mm		T	E1	E2	H	C
OL1016-01	3/16	4,8	03	7/16-20	12	15	25	22
OL1016-02	3/16	4,8	03	1/2-20	12	17	25	24
OL1016-03	1/4	6,4	04	7/16-20	14	15	27	22
OL1016-04	1/4	6,4	04	1/2-20	14	17	28	27
OL1016-05	1/4	6,4	04	9/16-18	14	19	29	25
OL1016-06	5/16	7,9	05	9/16-18	14	19	29	25
OL1016-07	3/8	9,5	06	9/16-18	17	19	31	26
OL1016-08	3/8	9,5	06	3/4-16	17	24	35	30
OL1016-09	1/2	12,7	08	3/4-16	20	24	38	32
OL1016-10	1/2	12,7	08	7/8-14	20	27	56	38
OL1016-11	5/8	15,9	10	1.1/16-12	24	32	52	39
OL1016-12	3/4	19	12	1.1/16-12	27	32	53	41
OL1016-13	1	25,4	16	1.5/16-12	32	38	62	52

OL1066 Curva JIC 45° svas. 74° RECUP.


JIC 45° Swept Elbow 74° Cone



part number	hose I.D.		Dimension					
			dash size	Thread	hex		drop	cut-off
	in	mm		T	E1	E2	H	C
OL1066-01	3/16	4,8	03	7/16-20	12	15	21	40
OL1066-02	1/4	6,4	04	7/16-20	14	15	27	40
OL1066-03	1/4	6,4	04	1/2-20	14	17	22	42
OL1066-04	1/4	6,4	04	9/16-18	14	19	25	47
OL1066-05	5/16	7,9	05	9/16-18	14	19	22	47
OL1066-06	3/8	9,5	06	3/4-16	17	24	30	51
OL1066-07	1/2	12,7	08	7/8-14	20	27	30	55
OL1066-08	5/8	15,9	10	1.1/16-12	24	32	34	64
OL1066-09	3/4	19	12	1.1/16-12	27	32	34	66
OL1066-10	1	25,4	16	1.5/16-12	32	38	35	70

OL0521 Occhio a Pressare BSP RECUP.


BSP Banjo



part number	hose I.D.		Dimension			
			dash	Hole		cut-off
	in	mm	size	T	H	C
OL0521-01	3/16	4,8	03	1/8	11	17
OL0521-02	3/16	4,8	03	1/4	14	22
OL0521-03	1/4	6,4	04	1/8	11	20
OL0521-04	1/4	6,4	04	1/4	14	22
OL0521-05	1/4	6,4	04	3/8	17	26
OL0521-06	5/16	7,9	05	3/8	17	26
OL0521-07	3/8	9,5	06	3/8	17	26
OL0521-08	3/8	9,5	06	1/2	22	30
OL0521-09	1/2	12,7	08	1/2	22	30
OL0521-10	5/8	15,9	10	3/4	28	38
OL0521-11	3/4	19	12	3/4	28	38

OL0522 Occhio a Pressare Metrico RECUP.

Metric Banjo



part number	hose I.D.		Dimension			
			dash	Hole		cut-off
	in	mm	size	T	H	C
OL0522-01	3/16	4,8	03	M10	11	17
OL0522-02	1/4	6,4	04	M10	11	20
OL0522-03	1/4	6,4	04	M12	12	21
OL0522-04	1/4	6,4	04	M14	15	22
OL0522-05	5/16	7,9	05	M16	17	26
OL0522-06	5/16	7,9	05	M18	20	26
OL0522-07	3/8	9,5	06	M18	20	26
OL0522-08	3/8	9,5	06	M20	22	30
OL0522-09	1/2	12,7	08	M18	20	26